

# SPEC BULLETIN

NO. 2-20-12

NAME
COMPANY NAME
ADDRESS
CITY



## DOCUMENT ENGINEERING CO., INC.

15210 Stagg Street • Van Nuys, California 91405  
 (818) 782-1010 • 1-800-MIL-SPEC • FAX (818) 782-2374

CUSTOMER P.O. NO.	DATE
NO. 2-20-12	PAGE 1
DECO ORDER NO.	

QTY	DOCUMENT NUMBER	PAGE COUNT	TITLE	QTY	DOCUMENT NUMBER	PAGE COUNT
<b>REVISIONS</b>						
	MIL-DTL-417H	7	ADAPTER, PRIMING: M1A5 02/12/12 1375		MIL-DTL-417H	7
	MIL-DTL-5794C, (1)	26	MICROPHONE UNIT M-6A/UR AND MICROPHONE, 02/01/12 5965 CARBON M-51/UR (CARBON NOISE CANCELLING) **INACTIVE**		MIL-DTL-5794C, (1)	26
	MIL-DTL-5815H	11	ANTENNA, AIRBORNE, UHF - BAND, GENERAL 02/08/12 5985 SPECIFICATION FOR		MIL-DTL-5815H	11
	MIL-DTL-25879G	16	SWITCH, RADIO FREQUENCY TRANSMISSION LINE, 02/08/12 5985 COAXIAL TYPE SA-521A/A		MIL-DTL-25879G	16
	MIL-DTL-63997C, (2)	55	RIFLE, 5.56MM - M16A2 (INACTIVE) 02/07/12 1005		MIL-DTL-63997C, (2)	55
	MIL-DTL-70599B, (2)	58	CARBINE, 5.56MM: M4 (INACTIVE) 02/07/12 1005		MIL-DTL-70599B, (2)	58
	MIL-DTL-71186A, (2)	57	CARBINE, 5.56MM: M4A1 (INACTIVE) 02/07/12 1005		MIL-DTL-71186A, (2)	57
	MIL-STD-1130C	21	CONNECTION ELECTRICAL SOLDERLESS WRAPPED 01/31/12 5935		MIL-STD-1130C	21
	DESC 5962-90754B	23	MICROCIRCUIT, MEMORY, DIGITAL, CMOS UV 02/01/12 5962 ERASABLE ASYNCHRONOUS REGISTERED PROGRAMMABLE LOGIC DEVICE, MONOLITHIC SILICON		DESC 5962-90754B	23
<b>VALIDATION NOTICES</b>						
	NTC 4 TO MIL-H-8810B	1	HANDLES CONTROL, AIRCRAFT (INACTIVE) 02/15/12 1680		NTC 4 TO MIL-H-8810B	1
	NTC 1 TO: MIL-PRF-19500/519D	1	SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING, 02/15/12 5980 RED TYPES JAN1N6092, JANTX1N6092, JAN1N6609 (CLEAR LENS) JANTX1N6609 (CLEAR LENS), AND PANEL MOUNTED ASSEMBLY TYPES JANM19500/51901, JANTXM19500/51902, JANM19500/51903 (CLEAR LENS)		NTC 1 TO: MIL-PRF-19500/519D	1
	NTC 1 TO: MIL-PRF-19500/520D	1	SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING, 02/15/12 5980 YELLOW TYPES JAN1N6093, JANTX1N6093, JAN1N6610 (CLEAR LENS), JANTX1N6610 (CLEAR LENS), AND PANEL MOUNTED ASSEMBLY TYPES JANM19500/52001, JANTXM19500/52002, JANM19500/52003 (CLEAR LENS)		NTC 1 TO: MIL-PRF-19500/520D	1
	NTC 1 TO: MIL-PRF-19500/521D	1	SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING, 02/15/12 5980 GREEN TYPES JAN1N6094, JANTX1N6094, JAN1N6611 (CLEAR LENS) JANTX1N6611 (CLEAR LENS), AND PANEL MOUNTED ASSEMBLY TYPES JANM19500/52101, JANTXM19500/52102, JANM19500/52103 (CLEAR LENS)		NTC 1 TO: MIL-PRF-19500/521D	1
	NTC 4 TO: MIL-M-38510/54D	1	MICROCIRCUITS, DIGITAL, CMOS, POSITIVE LOGIC 02/15/12 5962 FOUR-BIT FULL ADDER, MONOLITHIC SILICON (INACTIVE)		NTC 4 TO: MIL-M-38510/54D	1

QTY	DOCUMENT NUMBER	PAGE COUNT	TITLE	QTY	DOCUMENT NUMBER	PAGE COUNT
	NTC 4 TO: MIL-M-38510/420A	1	MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON 02/15/12 5962 GATE MONOLITHIC 8 BIT MICROPROCESSOR (FIXED INSTRUCTION) (INACTIVE)		NTC 4 TO: MIL-M-38510/420A	1
	NTC 4 TO: MIL-M-38510/440C	1	MICROCIRCUITS, DIGITAL, FOUR BIT 02/15/12 5962 MICROPROCESSOR SLICE MONOLITHIC SILICON (INACTIVE)		NTC 4 TO: MIL-M-38510/440C	1
	NTC 4 TO: MIL-M-38510/520B	1	MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON 02/15/12 5962 GATE MONOLITHIC 16-BIT MICROPROCESSOR (INACTIVE)		NTC 4 TO: MIL-M-38510/520B	1
	NTC 4 TO: MIL-M-38510/530A	1	MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON 02/15/12 5962 GATE MONOLITHIC 16-BIT MICROPROCESSOR (FIXED INSTRUCTION) (INACTIVE)		NTC 4 TO: MIL-M-38510/530A	1
	NTC 4 TO: MIL-M-38510/540B	1	MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON 02/15/12 5962 GATE MONOLITHIC 16-BIT MICROPROCESSOR (INACTIVE)		NTC 4 TO: MIL-M-38510/540B	1
	NTC 4 TO: MIL-M-38510/600	1	MICROCIRCUITS, DIGITAL, BIPOLAR, SEMICUSTOM 02/15/12 5962 (GATE ARRAY) DEVICES, MONOLITHIC SILICON (INACTIVE)		NTC 4 TO: MIL-M-38510/600	1
	NTC 4 TO: MIL-M-38510/620	1	MICROCIRCUITS, DIGITAL, VHSIC, CMOS, SIGNAL 02/15/12 5962 PROCESSING ELEMENT, MONOLITHIC SILICON (INACTIVE) SUPERSEDED BY CONTROLLED		NTC 4 TO: MIL-M-38510/620	1
	NTC 4 TO: MIL-M-38510/630	1	MICROCIRCUITS, DIGITAL, CMOS, FFT PROCESSOR, 02/15/12 5962 MONOLITHIC SILICON (INACTIVE)		NTC 4 TO: MIL-M-38510/630	1
	NTC 4 TO: MIL-M-38510/662	1	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS DATA 02/15/12 5962 SELECTORS/MULTIPLEXERS, MONOLITHIC SILICON (INACTIVE)		NTC 4 TO: MIL-M-38510/662	1
	NTC 4 TO: MIL-M-38510/665	1	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS 02/15/12 5962 SHIFT REGISTER, MONOLITHIC SILICON (INACTIVE)		NTC 4 TO: MIL-M-38510/665	1
			<b>MISCELLANEOUS DOCUMENTS</b>			
	DESC 5962-03237B	18	MICROCIRCUIT, LINEAR, LOW DROPOUT, ADJUSTABLE 02/02/12 5962 POSITIVE REGULATORS, MONOLITHIC SILICON		DESC 5962-03237B	18
	DESC 04202A	9	MICROCIRCUIT, LINEAR, SINGLE WIDEBAND VIDEO 02/02/12 5962 OPERATIONAL AMPLIFIER, MONOLITHIC SILICON		DESC 04202A	9
	DESC 5962-07215C	23	MICROCIRCUIT, LINEAR, BICMOS, RADIATION 01/31/12 5962 HARDENED, DUAL HIGH SPEED, VOLTAGE COMPARATOR, MONOLITHIC SILICON		DESC 5962-07215C	23
	DESC 5962-09207B	14	MICROCIRCUIT, HYBRID, VOLTAGE REGULATOR LOW 02/02/12 DROPOUT, POSITIVE AND NEGATIVE, ADJUSTABLE		DESC 5962-09207B	14
	DESC 5962-09244A	18	MICROCIRCUIT, LINEAR, HIGH VOLTAGE, CURRENT 02/08/12 SHUNT MONITOR, MONOLITHIC SILICON		DESC 5962-09244A	18
	DESC 84180F	9	MICROCIRCUITS, LINEAR, PRECISION VOLTAGE 01/25/12 5962 REFERENCES, SHUNT REGULATORS, MONOLITHIC SILICON		DESC 84180F	9
	DESC 5962-86824B	13	MICROCIRCUITS, DIGITAL, HIGH SPEED CMOS, 02/02/12 5962 COUNTER, SYNCHRONOUS DECADE, 4-BIT, MONOLITHIC SILICON		DESC 5962-86824B	13
	DESC 5962-87617F	11	MICROCIRCUIT, HYBRID, DIGITAL HIGH VOLTAGE 02/02/12 5962 DRIVERS		DESC 5962-87617F	11
	DESC 5962-87723A	11	MICROCIRCUITS, DIGITAL, HIGH SPEED CMOS, 13 02/02/12 5962 INPUT NAND GATE, MONOLITHIC SILICON		DESC 5962-87723A	11
	DESC 5962-89438B	11	MICROCIRCUIT, DIGITAL, BIPOLAR, ADVANCED 01/17/12 5962 SCHOTTKY, TTL, 10-NONINVERTING REGISTER, MONOLITHIC SILICON		DESC 5962-89438B	11
	DESC 5962-89444B	10	MICROCIRCUIT, DIGITAL, BIPOLAR, LOW-POWER 01/18/12 5962 SCHOTTKY TTL, 8-BIT SHIFT REGISTER WITH INPUT LATCHES, MONOLITHIC SILICON		DESC 5962-89444B	10
			<b>MISCELLANEOUS DOCUMENTS</b>			
			<b>MISC DOCUMENTS</b>			

QTY	DOCUMENT NUMBER	PAGE COUNT	TITLE	QTY	DOCUMENT NUMBER	PAGE COUNT
	DESC 5962-89490D	16	MICROCIRCUIT, HYBRID, LINEAR, DUAL POSITIVE 02/02/12 5962 AND NEGATIVE 15-VOLT, 12-VOLT, AND 5-VOLT REGULATOR		DESC 5962-89490D	16
	DESC 5962-89510B	9	MICROCIRCUIT, DIGITAL, ADVANCED SCHOTTKY 01/18/12 5962 TTL, TRIPLE, 3-INPUT, NOR GATES, MONOLITHIC SILICON		DESC 5962-89510B	9
	DESC 5962-89525C	10	MICROCIRCUIT, DIGITAL, BIPOLAR, ADVANCED 01/19/12 5962 SCHOTTKY, TTL, BUS INTERFACE FLIP-FLOP, MONOLITHIC SILICON		DESC 5962-89525C	10
	DESC 5962-89526C	10	MICROCIRCUIT, DIGITAL, BIPOLAR, ADVANCED 01/19/12 5962 SCHOTTKY, TTL, SYNCHRONOUS 8-BIT, UP/DOWN COUNTER, MONOLITHIC SILICON		DESC 5962-89526C	10
	DESC 5962-90573A	12	MICROCIRCUIT, MEMORY, BIPOLAR, ECL 02/01/12 5962 PROGRAMMABLE LOGIC DEVICE, MONOLITHIC SILICON		DESC 5962-90573A	12
	DESC 5962-90986A	44	MICROCIRCUIT, MEMORY, DIGITAL, CMOS, 256K X 4 01/31/12 5962 VIDEO RAM, MONOLITHIC SILICON		DESC 5962-90986A	44
	DESC 5962-92051D	11	MICROCIRCUIT, HYBRID, LINEAR, 90-VOLT, 02/06/12 5962 SYNCHRO TO DIGITAL CONVERTER		DESC 5962-92051D	11
	DESC 5962-92052C	11	MICROCIRCUIT, HYBRID, LINEAR, 2-VOLT, DIRECT 02/06/12 5962 RESOLVER CONVERTER		DESC 5962-92052C	11
	DESC 5962-92053C	11	MICROCIRCUIT, HYBRID, LINEAR, 11.8-VOLT 02/06/12 5962 SYNCHRO AND RESOLVER TO DIGITAL CONVERTER		DESC 5962-92053C	11
	DESC 5962-92054C	11	MICROCIRCUIT, HYBRID, LINEAR, 90-VOLT SYNCHRO 02/13/12 5962 TO DIGITAL CONVERTER		DESC 5962-92054C	11
	DESC 5962-92055C	11	MICROCIRCUIT, HYBRID, LINEAR, 2-VOLT, DIRECT 02/13/12 5962 RESOLVER CONVERTER		DESC 5962-92055C	11
	DESC 5962-97633C	10	MICROCIRCUIT, LINEAR, DUAL, LOW POWER JFET 02/07/12 5962 INPUT OPERATIONAL AMPLIFIER, MONOLITHIC SILICON		DESC 5962-97633C	10
	DESC 5962-99521C	23	MICROCIRCUIT, MEMORY, DIGITAL, CMOS, 02/06/12 5962 ELECTRICALLY ALTERABLE (IN-SYS REPROGRAMMABLE) 128 MACROCELL PROGRAMMABLE LOGIC DEVICE, MONOLITHIC SILICON		DESC 5962-99521C	23
	DESC 5962-99593C	10	MICROCIRCUIT, LINEAR, SINGLE, HIGHSPEED, 02/01/12 5962 VOLTAGE FEEDBACK, OPERATIONAL AMPLIFIER, MONOLITHIC SILICON		DESC 5962-99593C	10
			<b>PRIVATE SOCIETY</b>			
	AS 4373E	\$ 71	TEST METHODS FOR INSULATED ELECTRIC WIRE		AS 4373E	\$ 71
	AIR 6172	\$ 71	ICE UNDERCUTTING TEST METHOD FOR RUNWAYS AND TAXIWAYS DEICING/ANTI-ICING CHEMICALS		AIR 6172	\$ 71
	AS 8976A	\$ 71	BEARINGS, PLAIN, SELF-ALIGNING, ALL METAL 3120 GENERAL SPECIFICATION FOR		AS 8976A	\$ 71
	AS 22759/50	\$ 71	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, 80 MICROINCH SILVER-COATED COPPER 200 DEGREES C, 600 VOLT		AS 22759/50	\$ 71
	AS 39029/76B	\$ 71	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP 5935 REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-DTL-38999 SERIES I, II, III, IV CONNECTORS)		AS 39029/76B	\$ 71
	J-STD-004B, (1)	\$ 79	REQUIREMENTS FOR SOLDERING FLUXES		J-STD-004B, (1)	\$ 79
	J-STD-033C	\$ 68	HANDLING, PACKING, SHIPPING, AND USE OF 02/01/12 MOISTURE/REFLOW SENSITIVE SURFACE MOUNT DEVICES		J-STD-033C	\$ 68
			<b>PRIV. SOC.</b>			

QTY	DOCUMENT NUMBER	PAGE COUNT	TITLE	QTY	DOCUMENT NUMBER	PAGE COUNT
	(R12) TO AMS 2263E	\$ 71	TOLERANCES, NICKEL, NICKEL ALLOY, AND COBALT ALLOY TUBING		(R12) TO AMS 2263E	\$ 71
	AMS 2518D	\$ 71	THREAD COMPOUND, ANTI-SEIZE, GRAPHITE-PETROLATUM	8030	AMS 2518D	\$ 71
	AMS 3057A	\$ 71	LUBRICANT, SEMI - FLUID, FOR AIRCRAFT GEARBOXES		AMS 3057A	\$ 71
	AMS 3315G	\$ 71	SILICONE RUBBER SHEET, GLASS CLOTH REINFORCED	9320	AMS 3315G	\$ 71
	AMS 3669G	\$ 71	POLYTETRAFLUOROETHYLENE (PTFE) SHEET, MOLDED PREMIUM GRADE, AS SINTERED		AMS 3669G	\$ 71
	AMS 3725B	\$ 71	CORE, POLYURETHANE FOAM, RIGID, CELLULAR		AMS 3725B	\$ 71
	AMS 4185E	\$ 71	FILLER METAL, ALUMINUM BRAZING 12SI (4047)	3439	AMS 4185E	\$ 71
	(R12) TO AMS 4674G	\$ 71	NICKEL - COPPER ALLOY, CORROSION RESISTANT BARS AND FORGINGS 67Ni - 30Cu - 0.04S FREE MACHINING		(R12) TO AMS 4674G	\$ 71
	(R12) TO AMS 4779G	\$ 71	NICKEL ALLOY, BRAZING FILLER METAL 94Ni - 3.5Si - 1.8B 1800 TO 1950 DEGREE F, (982 TO 1066 C) SOLIDUS-LIQUIDUS RANGE	3439	(R12) TO AMS 4779G	\$ 71
	(R12) TO AMS 4782F	\$ 71	NICKEL ALLOY, BRAZING FILLER METAL 71NI - 10SI - 19CR 1975 TO 2075 DEGREE F (1080 TO 1135 DEGREE C) SOLIDUS-LIQUIDUS RANGE	3439	(R12) TO AMS 4782F	\$ 71
	(R12) TO AMS 4892C	\$ 71	ALLOY CASTINGS, CORROSION AND HEAT RESISTANT 66Ni - 29Cu 4.0Si AS CAST	MECA	(R12) TO AMS 4892C	\$ 71
	(R12) TO AMS 4893C	\$ 71	ALLOY CASTINGS, CORROSION AND HEAT RESISTANT 66Ni - 29Cu 4.0Si SOLUTION TREATED		(R12) TO AMS 4893C	\$ 71
	(R12) TO AMS 5221E	\$ 71	IRON-NICKEL ALLOY STRIP 49Fe - 5.3Cr - 42Ni - 2.5Ti - 0.55Al SOLUTION HEAT TREATED	9515	(R12) TO AMS 5221E	\$ 71
	(R12) TO AMS 5223F	\$ 71	IRON-NICKEL ALLOY, STRIP 49Fe - 5.3Cr - 42Ni - 2.5Ti 0.55Al SOLUTION HEAT TREATED, COLD ROLLED, 10 % REDUCTION	9510	(R12) TO AMS 5223F	\$ 71
	(R12) TO AMS 5382J	\$ 71	COBALT ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS, 54 CO - 25.5CR - 10.5NI - 7.5A, AS-CAST	MECA	(R12) TO AMS 5382J	\$ 71
	(R12) TO AMS 5503E	\$ 71	STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 17 Cr (SAE 51430) ANNEALED	9515	(R12) TO AMS 5503E	\$ 71
	(R12) TO AMS 5584A	\$ 71	STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS AND WELDED HYDRAULIC TUBING, 17Cr - 12Ni - 1.5Mo-0.03C MAX COLD DRAWN, 1/8 HARD TEMPER	9515	(R12) TO AMS 5584A	\$ 71
	(R12) TO AMS 5610N	\$ 71	STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, AND FORGING 12.5Cr - LOW CARBON (SAE 51416, 51416Se) FREE-MACHINING	9510	(R12) TO AMS 5610N	\$ 71
	(R12) TO AMS 5617J	\$ 71	STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS 12Cr - 8.5Ni - 1.2Ti - 2.0Cu VACUUM INDUCTION PLUS VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE	9510	(R12) TO AMS 5617J	\$ 71
	(R12) TO AMS 5703D	\$ 71	NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS, 41.5NI - 16CR - 37FE - 2.9CB 1.8TI, CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED, 1750 DEGREE F (954 DEGREE C) SOLUTION, STABILIZATION, AND PRECIPITATION HEAT	9515	(R12) TO AMS 5703D	\$ 71
	(R12) TO AMS 5746F	\$ 71	ALLOY, CORROSION AND HEAT-RESISTANT, BARS AND FORGINGS 15CR - 45NI - 4.1MO - 4.1W - 3.0TI - 1.0AL - 31FE (D979) CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION AND PRECIPITATION HEAT TREATED	9510	(R12) TO AMS 5746F	\$ 71

QTY	DOCUMENT NUMBER	PAGE COUNT	TITLE	QTY	DOCUMENT NUMBER	PAGE COUNT
	(R12) TO AMS 5747D	\$ 71	NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS AND RINGS, 72NI - 15.5CR - 0.95CB(NB) - 2.5TI - 0.70AL 7.0FE, SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE		(R12) TO AMS 5747D	\$ 71
	(R12) TO AMS 5796E	\$ 71	COBALT ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 52Co - 20Cr - 10Ni - 15W	3439	(R12) TO AMS 5796E	\$ 71
	(R12) TO AMS 5800F	\$ 71	NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 54NI - 19CR - 11CO - 10MO - 3.2TI - 1.5AI - 0.006B (VACUUM INDUCTION MELTED)	3439	(R12) TO AMS 5800F	\$ 71
	(R12) TO AMS 5801F	\$ 71	COBALT ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 39Co- 22Cr - 22Ni - 14.5W - 0.07La	3439	(R12) TO AMS 5801F	\$ 71
	(R12) TO AMS 5838E	\$ 71	NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 65Ni -16Cr - 15Mo - 0.30Al - 0.06La	3439	(R12) TO AMS 5838E	\$ 71
	(R12) TO AMS 5868B	\$ 71	STEEL, CORROSION RESISTANT, SEAMLESS AND WELDED AIRCRAFT TUBING 19Cr - 9Ni (SAE 30304) COLD DRAWN, 1/2 HARD TEMPER		(R12) TO AMS 5868B	\$ 71
	(R12) TO AMS 5893B	\$ 71	IRON-NICKEL ALLOY, BARS, FORGINGS, AND RINGS 42Fe 37.5NI - 14CO - 4.8(CB + TA)(NB + TA) -1.6TI , SOLUTION HEAT TREATED, SHORT-TIME PRECIPITATION HARDENABLE MULTIPLE MELTED HIGH TEMPERATURE, LOW EXPANSION		(R12) TO AMS 5893B	\$ 71
	(R12) TO AMS 5897B	\$ 71	STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS OR WELDED HYDRAULIC TUBING, 18.5CR - 11NI - 0.80CB (NB) (SAE 30347). SOLUTION HEAT TREATED AND COLD DRAWN, 1/8 HARD TEMPER		(R12) TO AMS 5897B	\$ 71
	(R12) TO AMS 7445D	\$ 71	BALLS, STEEL, CORROSION-RESISTANT 17Cr ANNEALED	3120	(R12) TO AMS 7445D	\$ 71
	(R12) TO AMS 7510B	\$ 71	MAGNETS, RARE-EARTH/COBALT, PERMANENT POWDER METALLURGY PRODUCT	5999	(R12) TO AMS 7510B	\$ 71
	(R12) TO AMS 7510/1B	\$ 71	MAGNETS, RARE-EARTH/COBALT, PERMANENT SAMARIUM/COBAL, 33/67 - 15 (119) 250	5999	(R12) TO AMS 7510/1B	\$ 71
	(R12) TO AMS 7510/2B	\$ 71	MAGNETS, RARE - EARTH/COBALT, PERMANENT SAMARIUM/COBAL, 33/67 - 18 (143) 250	5999	(R12) TO AMS 7510/2B	\$ 71
	ASTM C474-12	\$ 46	STANDARD TEST METHODS FOR JOINT TREATMENT MATERIALS FOR GYPSUM BOARD CONSTRUCTION		ASTM C474-12	\$ 46
	ASTM D86-11b	\$ 57	STANDARD TEST METHOD FOR DISTILLATION OF PETROLEUM PRODUCTS AT ATMOSPHERIC PRESSURE	91GP	ASTM D86-11b	\$ 57
	ASTM D1545-07(R12)	\$ 35	STANDARD TEST METHOD FOR VISCOSITY OF TRANSPARENT LIQUIDS BY BUBBLE TIME METHOD	8010	ASTM D1545-07(R12)	\$ 35
	ASTM D2589/D2589M -88(R11)e1	\$ 40	STANDARD TEST METHOD FOR McNETT WET CLASSIFICATION OF DUEL ASBESTOS FIBER		ASTM D2589/D2589M -88(R11)e1	\$ 40
	ASTM D2590/D2590M -98(R11)e1	\$ 40	STANDARD TEST METHOD FOR SAMPLING CHRYSOTILE ASBESTOS		ASTM D2590/D2590M -98(R11)e1	\$ 40
	ASTM D2752/D2752M -88(R11)e1	\$ 40	STANDARD TEST METHODS FOR AIR PERMEABILITY OF ASBESTOS FIBER		ASTM D2752/D2752M -88(R11)e1	\$ 40
	ASTM D2947/D2947M -88(R11)e1	\$ 40	STANDARD TEST METHOD FOR SCREEN ANALYSIS OF ASBESTOS FIBERS		ASTM D2947/D2947M -88(R11)e1	\$ 40
	ASTM D2985/D2985M -92(R11)e1	\$ 40	STANDARD TEST METHOD FOR COLOR OF ASBESTOS		ASTM D2985/D2985M -92(R11)e1	\$ 40
	ASTM D2987/D2987M -88(R11)e1	\$ 35	STANDARD TEST METHOD FOR MOISTURE CONTENT OF ASBESTOS FIBER		ASTM D2987/D2987M -88(R11)e1	\$ 35

QTY	DOCUMENT NUMBER	PAGE COUNT	TITLE	QTY	DOCUMENT NUMBER	PAGE COUNT
	ASTM D3639/D3639M -92(R11)e1	\$ 35	STANDARD TEST METHOD FOR CLASSIFICATION OF ASBESTOS BY QUEBEC STANDARD TEST		ASTM D3639/D3639M -92(R11)e1	\$ 35
	ASTM D3752-98(R11)	\$ 40	STANDARD TEST METHOD FOR STRENGTH IMPARTED BY ASBESTOS TO A CEMENTITIOUS MATRIX		ASTM D3752-98(R11)	\$ 40
	ASTM D6009-12	\$ 46	STANDARD GUIDE FOR SAMPLING WASTE PILES		ASTM D6009-12	\$ 46
	ASTM D6619-00(R12)	\$ 35	STANDARD PRACTICE FOR INCORPORATING PIGMENTS BY HIGH SPEED DISPERSION		ASTM D6619-00(R12)	\$ 35
	ASTM D7395-07(R12)	\$ 35	STANDARD TEST METHOD FOR CONE/PLATE VISCOSITY AT A 500s <sup>-1</sup> SHEAR RATE		ASTM D7395-07(R12)	\$ 35
	ASTM E2545-07(R12)	\$ 40	STANDARD TEST METHOD FOR OBJECTIVE MEASUREMENT OF GINGIVAL COLOR USING DIGITAL STILL CAMERAS		ASTM E2545-07(R12)	\$ 40
	ASTM F539-01(R11)	\$ 40	STANDARD PRACTICE FOR FITTING ATHLETIC FOOTWEAR		ASTM F539-01(R11)	\$ 40
	ASTM F667-12	\$ 40	STANDARD SPECIFICATION FOR 3 THROUGH 24 in. CORRUGATED POLYETHYLENE PIPE AND FITTINGS		ASTM F667-12	\$ 40
	ASTM F1720-06(R11)	\$ 35	STANDARD TEST METHOD FOR MEASURING THERMAL INSULATION OF SLEEPING BAGS USING A HEATED MANIKIN		ASTM F1720-06(R11)	\$ 35
	ASTM F1833-97(R11)	\$ 40	STANDARD TEST METHOD FOR COMPARISON OF REARFOOT MOTION CONTROL PROPERTIES OF RUNNING SHOES		ASTM F1833-97(R11)	\$ 40
	ASTM F2032-06(R11)	\$ 35	STANDARD SPECIFICATION FOR HELMETS USED FOR BMX CYCLING		ASTM F2032-06(R11)	\$ 35
	ASTM F2059-06(R11)e1	\$ 40	STANDARD TEST METHOD FOR LABORATORY OIL SPILL DISPERSANT EFFECTIVENESS USING THE SWIRLING FLASK		ASTM F2059-06(R11)e1	\$ 40
	ASTM F2333-04(R11)	\$ 40	STANDARD TEST METHOD FOR TRACTION CHARACTERISTICS OF THE ATHLETIC SHOE-SPORTS SURFACE INTERFACE		ASTM F2333-04(R11)	\$ 40
	ASTM F2400-06(R11)	\$ 35	STANDARD SPECIFICATION FOR HELMETS USED IN POLE VAULTING		ASTM F2400-06(R11)	\$ 35
	ASTM F2416-06(R11)	\$ 35	STANDARD SPECIFICATION FOR PROTECTIVE HEADGEAR USED IN ELECTRIC PERSONAL ASSISTIVE MOBILITY DEVICES		ASTM F2416-06(R11)	\$ 35
	ASTM F2439-06(R11)	\$ 40	STANDARD SPECIFICATION FOR HEADGEAR USED IN SOCCER		ASTM F2439-06(R11)	\$ 40
	JEDEC/JESD 204B	\$ 229	SERIAL INTERFACE FOR DATA CONVERTERS		JEDEC/JESD 204B	\$ 229
	IEEE STD C57.12.70 -11	\$ 156	STANDARD TERMINAL MARKINGS AND CONNECTIONS FOR DISTRIBUTION AND POWER TRANSFORMERS	12/07/11	IEEE STD C57.12.70 -11	\$ 156
	IPC 4554, (1)	\$ 102	SPECIFICATION FOR IMMERSION TIN PLATING FOR PRINTED CIRCUIT BOARDS		IPC 4554, (1)	\$ 102
	IPC/JEDEC 9704A	\$ 79	PRINTED CIRCUIT ASSEMBLY STRAIN GAGE TEST GUIDELINE	02/01/12	IPC/JEDEC 9704A	\$ 79
	ISO 2419-ED4	\$ 43	LEATHER - PHYSICAL AND MECHANICAL TESTS - SAMPLE PREPARATION AND CONDITIONING	02/01/12	ISO 2419-ED4	\$ 43
	ISO 3129-ED2	\$ 65	WOOD - SAMPLING METHODS AND GENERAL REQUIREMENTS FOR PHYSICAL AND MECHANICAL TESTING OF SMALL CLEAR WOOD SPECIMEN	02/01/12	ISO 3129-ED2	\$ 65
	ISO 9223-ED2	\$ 86	CORROSION OF METALS AND ALLOYS - CORROSIVITY OF ATMOSPHERES CLASSIFICATION, DETERMINATION AND ESTIMATION	02/01/12	ISO 9223-ED2	\$ 86

QTY	DOCUMENT NUMBER	PAGE COUNT	TITLE	QTY	DOCUMENT NUMBER	PAGE COUNT
	ISO 9224-ED2	\$ 80	CORROSION OF METALS AND ALLOYS - CORROSIVITY 02/01/12 OF ATMOSPHERES GUIDING VALUES FOR THE CORROSIVITY CATEGORIES		ISO 9224-ED2	\$ 80
	ISO 9225-ED2	\$ 104	CORROSION OF METALS AND ALLOYS - CORROSIVITY 02/01/12 OF ATMOSPHERES MEASUREMENT OF ENVIRONMENTAL PARAMETERS AFFECTING CORROSIVITY OF ATMOSPHERES		ISO 9225-ED2	\$ 104
	ISO 9226-ED2	\$ 49	CORROSION OF METALS AND ALLOYS - CORROSIVITY 02/01/12 OF ATMOSPHERES DETERMINATION OF CORROSION RATE OF STANDARD SPECIMENS FOR THE EVALUATION OF CORROSIVITY		ISO 9226-ED2	\$ 49
	ISO 10502-ED2	\$ 98	AEROSPACE - HOSE ASSEMBLIES IN 02/01/12 POLYTETRAFLUOROETHYLENE FOR USE UP TO 232 DEG. C AND 10500 kPa - TECHNICAL SPECIFICATIONS AND REQUIREMENTS		ISO 10502-ED2	\$ 98
	ISO 10552-ED2	\$ 65	TIMEKEEPING INSTRUMENTS - CROWNS AND SEALED 02/01/12 TUBES - DESIGNS AND DIMENSIONS		ISO 10552-ED2	\$ 65
	ISO 11269-2-ED3	\$ 98	SOIL QUALITY - DETERMINATION OF THE EFFECTS 01/15/12 OF POLLUTANTS ON SOIL FLORA - PART 2: EFFECTS OF CONTAMINATED SOIL ON THE EMERGENCE AND EARLY GROWTH OF HIGHER PLANTS		ISO 11269-2-ED3	\$ 98
	ISO 11568 PART 2-ED3	\$ 116	FINANCIAL SERVICES - KEY MANAGEMENT (RETAIL) 02/01/12 - PART 2: SYMMETRIC CIPHERS, THEIR KEY MANAGEMENT AND LIFE CYCLE		ISO 11568 PART 2-ED3	\$ 116
	ISO 12231-ED3	\$ 129	PHOTOGRAPHY - ELECTRONIC STILL PICTURE 02/01/12 IMAGING VOCABULARY		ISO 12231-ED3	\$ 129
	ISO 15202-2-ED2	\$ 149	WORKPLACE AIR - DETERMINATION OF METALS AND 02/01/12 METALLOIDS IN AIRBORNE PARTICULATE MATTER BY INDUCTIVELY COUPLED PLASMA ATOMIC EMISSION SPECTROMETRY - PART 2: SAMPLE PREPARATION		ISO 15202-2-ED2	\$ 149
	NAS 390-6	\$ 52	WASHER-FLUSH TYPE FINISHING 01/27/12 5310		NAS 390-6	\$ 52
	NFPA 76-12	\$ 65	FIRE PROTECTION OF TELECOMMUNICATIONS 02/24/12 FACILITIES		NFPA 76-12	\$ 65
	NFPA 115-12	\$ 59	LASER FIRE PROTECTION. 02/24/12		NFPA 115-12	\$ 59
	NFPA 170-12	\$ 65	FIRE SAFETY AND EMERGENCY SYMBOLS 02/24/12		NFPA 170-12	\$ 65
	NFPA 252-12	\$ 50	METHODS OF FIRE TESTS OF DOOR ASSEMBLIES 02/24/12 5670		NFPA 252-12	\$ 50
	NFPA 257-12	\$ 59	FIRE TESTS FOR WINDOW AND GLASS BLOCK 02/24/12 ASSEMBLIES		NFPA 257-12	\$ 59
	NFPA 268-12	\$ 59	TEST METHOD FOR DETERMINING IGNITIBILITY OF 02/24/12 EXTERIOR WALL ASSEMBLIES USING A RADIANT HEAT ENERGY SOURCE		NFPA 268-12	\$ 59
	NFPA 269-12	\$ 59	STANDARD TEST METHOD FOR DEVELOPING TOXIC 02/24/12 POTENCY DATA FOR USE IN FIRE HAZARD MODELING		NFPA 269-12	\$ 59
	NFPA 285-12	\$ 59	FIRE TEST METHOD FOR EVALUATION OF FIRE 02/24/12 PROPAGATION CHARACTERISTICS OF EXTERIOR NON-LOAD-BEARING WALL ASSEMBLIES CONTAINING COMBUSTION COMPONENTS		NFPA 285-12	\$ 59
	NFPA 287-12	\$ 59	TEST METHODS FOR MEASUREMENT OF FLAMMABILITY 02/24/12 OF MATERIALS IN CLEANROOMS USING A FIRE PROPAGATION APPARATUS		NFPA 287-12	\$ 59
	NFPA 288-12	\$ 50	METHODS OF FIRE TESTS OF FLOOR FIRE DOOR 02/24/12 ASSEMBLIES INSTALLED HORIZONTALLY IN FIRE RESISTANCE-RATED FLOOR SYSTEMS		NFPA 288-12	\$ 50
	NFPA 385-12	\$ 59	TANK VEHICLES FOR FLAMMABLE AND COMBUSTIBLE 02/24/12 2320 LIQUIDS		NFPA 385-12	\$ 59

QTY	DOCUMENT NUMBER	PAGE COUNT	TITLE	QTY	DOCUMENT NUMBER	PAGE COUNT
	NFPA 497-12	\$ 65	CLASSIFICATION OF FLAMMABLE LIQUIDS, GASES, 02/24/12 OR VAPORS AND OF HAZARDOUS (CLASSIFIED) LOCATIONS FOR ELECTRICAL INSTALLATIONS IN CHEMICAL PROCESS AREAS (REPLACES NFPA 497A AND PART OF NFPA 497M)		NFPA 497-12	\$ 65
	NFPA 550-12	\$ 50	FIRE SAFETY CONCEPTS TREE 02/24/12		NFPA 550-12	\$ 50
	NFPA 557-12	\$ 59	DETERMINATION OF FIRE LOADS FOR USE IN 02/24/12 STRUCTURAL FIRE PROTECTION DESIGN		NFPA 557-12	\$ 59
	NFPA 655-12	\$ 59	PREVENTION OF SULFUR FIRES AND EXPLOSIONS 02/24/12		NFPA 655-12	\$ 59
	NFPA 1037-12	\$ 50	PROFESSIONAL QUALIFICATIONS FOR FIRE MARSHAL 02/24/12		NFPA 1037-12	\$ 50
	NFPA 1041-12	\$ 50	FIRE SERVICE INSTRUCTOR PROFESSIONAL 02/24/12 QUALIFICATIONS		NFPA 1041-12	\$ 50
	NFPA 1051-12	\$ 59	WILDLAND FIRE FIGHTER PROFESSIONAL 02/24/12 QUALIFICATIONS.		NFPA 1051-12	\$ 59
	NFPA 1401-12	\$ 59	RECOMMENDED PRACTICE FOR FIRE SERVICE 02/24/12 TRAINING REPORTS AND RECORDS		NFPA 1401-12	\$ 59
	NFPA 1402-12	\$ 59	BUILDING FIRE SERVICE TRAINING CENTERS 02/24/12		NFPA 1402-12	\$ 59
	NFPA 1403-12	\$ 59	LIVE FIRE TRAINING EVOLUTIONS 02/24/12		NFPA 1403-12	\$ 59
	NFPA 1906-12	\$ 65	WILDLAND FIRE APPARATUS 02/24/12		NFPA 1906-12	\$ 65
	NFPA 1911-12	\$ 76	INSPECTION, MAINTENANCE, TESTING, AND 02/24/12 RETIREMENT OF IN-SERVICE AUTOMOTIVE FIRE ACOARATUS (INCORPORATES NFPA 1914 AND NFPA 1915)		NFPA 1911-12	\$ 76
	NFPA 1983-12	\$ 65	LIFE SAFETY ROPE AND EQUIPMENT FOR EMERGENCY 02/24/12 SERVICES		NFPA 1983-12	\$ 65
	NFPA 1992-12	\$ 59	LIQUID SPLASH - PROTECTIVE ENSEMBLES AND 02/24/12 CLOTHING FOR HAZARDOUS MATERIALS EMERGENCIES (REPLACES NFPA 1993)		NFPA 1992-12	\$ 59
	NFPA 1994-12	\$ 59	PROTECTIVE ENSEMBLES FOR FIRST RESPONDERS TO 02/24/12 CBRN TERRORISM INCIDENTS		NFPA 1994-12	\$ 59
	J220-12	\$ 71	CRANE BOOMSTOP **REAFFIRMED**		J220-12	\$ 71
	J958-12	\$ 71	NOMENCLATURE AND DIMENSIONS FOR CRANE SHOVELS		J958-12	\$ 71
	J1321-12	\$ 71	FUEL CONSUMPTION TEST PROCEDURE - TYPE II		J1321-12	\$ 71
	J1474-12	\$ 71	HEAVY-DUTY NONMETALLIC ENGINE COOLING FANS - MATERIAL, MANUFACTURING AND TEST CONSIDERATIONS SUPERSEDED BY J1390		J1474-12	\$ 71
	J1706-12	\$ 71	PRODUCTION, HANDLING AND DISPENSING OF SAE J1703 MOTOR VEHICLE BRAKE FLUIDS		J1706-12	\$ 71
	J2031-12	\$ 71	HIGH TENSION IGNITION CABLE		J2031-12	\$ 71
	J2918-12	\$ 71	ENGINE-OFF CAB HEATING AND AIR CONDITIONING SYSTEMS TEST PROCEDURE AND PERFORMANCE REQUIREMENTS - TRUCKS WITH AND WITHOUT SLEEPERS		J2918-12	\$ 71
	J2950-12	\$ 71	RECOMMENDED PRACTICES FOR SHIPPING TRANSPORT AND HANDLING OF AUTOMOTIVE-TYPE BATTERY SYSTEM - LITHIUM ION		J2950-12	\$ 71
	UL 1097-ED6	\$ 577	DOUBLE INSULATION SYSTEMS FOR USE IN 02/01/12 ELECTRICAL EQUIPMENT		UL 1097-ED6	\$ 577

QTY	DOCUMENT NUMBER	PAGE COUNT	TITLE	QTY	DOCUMENT NUMBER	PAGE COUNT
	ISO/IEC 15504-5-ED2	\$ 249	INFORMATION TECHNOLOGY - PROCESS ASSESSMENT - 02/01/12 PART 5: AN EXEMPLAR SOFTWARE LIFE CYCLE PROCESS ASSESSMENT MODEL		ISO/IEC 15504-5-ED2	\$ 249
	BS EN 1729-2:2012	\$ 333	Furniture. Chairs and tables for educational 02/29/12 institutions. Safety requirements and test methods		BS EN 1729-2:2012	\$ 333
	BS EN ISO 7887:2011	\$ 252	Water quality. Examination and determination 02/29/12 of colour		BS EN ISO 7887:2011	\$ 252
	BS EN 13172:2012	\$ 355	Thermal insulation products. Evaluation of 02/29/12 conformity		BS EN 13172:2012	\$ 355
	BS EN 13231-3:2012	\$ 355	Railway applications. Track. Acceptance of 02/29/12 works. Acceptance of reprofiling rails in track		BS EN 13231-3:2012	\$ 355
	BS EN 15090:2012	\$ 355	Footwear for firefighters 02/29/12		BS EN 15090:2012	\$ 355
	BS EN 15232:2012	\$ 454	Energy performance of buildings. Impact of 02/29/12 Building Automation, Controls and Building Management		BS EN 15232:2012	\$ 454
	BS EN 60567:2011	\$ 432	Oil-filled electrical equipment. Sampling of 02/29/12 gases and analysis of free and dissolved gases. Guidance		BS EN 60567:2011	\$ 432
	BS EN 60704-2 -10:2011	\$ 252	Household and similar electrical appliances. 02/29/12 Test code for the determination of airborne acoustical noise. Particular requirements for electric cooking ranges, ovens, grills, microwave ovens and any combination of these		BS EN 60704-2 -10:2011	\$ 252
	BS EN 61000-3 -12:2011	\$ 333	Electromagnetic compatibility (EMC). Limits. 02/29/12 Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current \$2K16 A and \$3L75 A per phase		BS EN 61000-3 -12:2011	\$ 333
	BS EN 62027:2012	\$ 355	Preparation of object lists, including parts 02/29/12 lists		BS EN 62027:2012	\$ 355
	BS EN 62271-200:2012	\$ 428	High-voltage switchgear and controlgear. AC 01/31/12 metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV		BS EN 62271-200:2012	\$ 428